

TECHNICAL DATA: Passenger/Stretcher Lift - Motor Room Type (Low-Rise)

Capacity		Speed (mpm)	Type	Door Opening (*CO) (mm)	Cabin Size Internal (CA x CB x CH) (mm)	Hoistway W x D (mm)	Overhead (mm)	Pit Depth (mm)				
No. of Persons	Weight (kg)											
6	450	60	Passenger	800 x 2100	1150 x 1000 x 2500	1850 x 1700	4400	1400				
		90					4550	1500				
		105					4700	1600				
8	545	60	Passenger	800 x 2100	1400 x 1050 x 2500	2000 x 1750	4400	1400				
		90					4550	1500				
		105					4700	1600				
9	615	60	Passenger	800 x 2100	1400 x 1150 x 2500	2000 x 1850	4400	1400				
		90					4550	1500				
		105					4700	1600				
10	685	60	Passenger	800 x 2100	1400 x 1250 x 2500	2000 x 1950	4400	1400				
		90					4550	1500				
		105					4700	1600				
11	750	60	Passenger	800 x 2100	1400 x 1350 x 2500	2000 x 2050	4400	1400				
		90					4550	1500				
		105					4700	1600				
13	885	60	Passenger	900 x 2100	1600 x 1350 x 2500	2200 x 2050	4400	1400				
		90					4550	1500				
		105					4950	1600				
		120					5200	1800				
15	1025	60	Passenger	900 x 2100	1600 x 1550 x 2500	2200 x 2250	4550	1450				
		90					4700	1550				
		105					4950	1650				
		120					5200	1800				
		150	5400	2400								
		60	Stretcher	900 x 2100	1200 x 2100 x 2500	2200 x 2600	4550	1450				
		90					4700	1550				
105	4950	1650										
17	1160	120	Stretcher	1000 x 2100	1300 x 2100 x 2500	2550 x 2600	5200	1800				
		150					5400	2400				
		60					Passenger	1000 x 2100	1800 x 1500 x 2500	2450 x 2250	4550	1450
		90									4700	1550
		105	4950	1650								
		20	1365	120	Stretcher	1000 x 2100	1400 x 2250 x 2500	2600 x 2700	5200	1800		
				150					5400	2400		
60	Passenger			1000 x 2100					1950 x 1600 x 2500	2600 x 2400	4550	1450
90											4700	1550
105					4950	1650						
21	1430			120	Stretcher	1100 x 2100	1400 x 2300 x 2500	2600 x 2800	5200	1800		
				150					5400	2400		
		60	Passenger	1100 x 2100					2050 x 1600 x 2500	2750 x 2350	4550	1450
		90									4700	1550
		105			4950	1650						
		24	1635	120	Stretcher	1100 x 2100	1500 x 2400 x 2500	2700 x 2900	5200	1800		
				150					5400	2400		
60	Passenger			1100 x 2100					2250 x 1600 x 2500	2900 x 2400	4550	1450
90											4700	1550
105					4950	1650						
27	1840			120	Stretcher	1100 x 2100	1650 x 2400 x 2500	2850 x 2900	5200	1800		
				150					5400	2400		
		60	Passenger	1100 x 2100					2250 x 1750 x 2500	3350 x 2250	4650	1550
		90									4800	1650
		105			5050	1750						
		30	2040	120	Stretcher	1100 x 2100	1650 x 2600 x 2500	2850 x 3100	5300	1900		
				150					5300	1900		
60	Passenger			1100 x 2100					2250 x 1900 x 2500	3350 x 2400	4650	1550
90											4800	1650
105					5050	1750						
				120					5300	1900		

* CO-Center Opening

TECHNICAL DATA:

Passenger/Stretcher Lift - Motor Room Type (High-Rise)


Dimension

Capacity		Type	Speed (mpm)	Door Opening (*CO) (mm)	Cabin Size Internal (CA x CB x CH) (mm)	Hoistway W x D (mm)	Overhead (mm)	Pit Depth (mm)			
No. of Persons	Weight (kg)										
15	1025	Passenger	150	900 x 2100	1600 x 1550 x 2500	2300 x 2350	5000	2400			
			180	900 x 2100	1600 x 1550 x 2750	2400 x 2400	5700	3400			
			210	900 x 2100	1600 x 1550 x 2750	2400 x 2400	6100	3600			
			240	900 x 2100	1600 x 1550 x 2750	2400 x 2400	6775	3950			
			300	900 x 2100	1600 x 1550 x 2750	2500 x 2550	6800*	4600*			
			360	900 x 2500	1600 x 1550 x 3000	2500 x 2550	7200*	4800*			
		Stretcher	150	900 x 2100	1200 x 2100 x 2500	2250 x 2500	5000	2400			
			180	900 x 2100	1200 x 2100 x 2750	2300 x 2550	5700	3400			
			210	900 x 2100	1200 x 2100 x 2750	2300 x 2550	6100	3600			
			240	900 x 2100	1200 x 2100 x 2750	2300 x 2550	6775	3950			
			300	900 x 2100	1200 x 2100 x 2750	2400 x 2650	6800*	4600*			
			360	900 x 2500	1200 x 2100 x 3000	2400 x 2650	7200*	4800*			
			17	1160	Passenger	150	1100 x 2100	1800 x 1500 x 2500	2600 x 2300	5000	2400
						180	1100 x 2100	1800 x 1500 x 2750	2650 x 2350	5700	3400
210	1100 x 2100	1800 x 1500 x 2750				2650 x 2350	6100	3600			
240	1100 x 2100	1800 x 1500 x 2750				2650 x 2350	6775	3950			
300	1100 x 2100	1800 x 1500 x 2750				2700 x 2500	6800*	4600*			
360	1100 x 2500	1800 x 1500 x 3000				2700 x 2500	7200*	4800*			
Stretcher	150	1100 x 2100			1300 x 2100 x 2500	2500 x 2500	5000	2400			
	180	1100 x 2100			1300 x 2100 x 2750	2550 x 2550	5700	3400			
	210	1100 x 2100			1300 x 2100 x 2750	2550 x 2550	6100	3600			
	240	1100 x 2100			1300 x 2100 x 2750	2550 x 2550	6775	3950			
	300	1100 x 2100			1300 x 2100 x 2750	2600 x 2650	6800*	4600*			
	360	1100 x 2500			1300 x 2100 x 3000	2600 x 2650	7200*	4800*			
	20	1365			Passenger	150	1100 x 2100	1950 x 1600 x 2500	2750 x 2450	5000	2400
						180	1100 x 2100	1950 x 1600 x 2750	2850 x 2550	5700	3400
210			1100 x 2100	1950 x 1600 x 2750		2850 x 2550	6100	3600			
240			1100 x 2100	1950 x 1600 x 2750		2850 x 2550	6775	3950			
300			1100 x 2100	1950 x 1600 x 2750		2950 x 2650	6800*	4600*			
360			1100 x 2500	1950 x 1600 x 3000		2950 x 2650	7200*	4800*			
Stretcher			150	1100 x 2100	1400 x 2250 x 2500	2500 x 2650	5000	2400			
			180	1100 x 2100	1400 x 2250 x 2750	2600 x 2700	5700	3400			
			210	1100 x 2100	1400 x 2250 x 2750	2600 x 2700	6100	3600			
			240	1100 x 2100	1400 x 2250 x 2750	2600 x 2700	6775	3950			
			300	1100 x 2100	1400 x 2250 x 2750	2700 x 2800	6800*	4600*			
			360	1100 x 2500	1400 x 2250 x 3000	2700 x 2800	7200*	4800*			
			21	1430	Passenger	150	1100 x 2100	2050 x 1600 x 2500	2850 x 2450	5000	2400
						180	1100 x 2100	2050 x 1600 x 2750	2950 x 2550	5700	3400
210	1100 x 2100	2050 x 1600 x 2750				2950 x 2550	6100	3600			
240	1100 x 2100	2050 x 1600 x 2750				2950 x 2550	6775	3950			
300	1100 x 2100	2050 x 1600 x 2750				3050 x 2650	6800*	4600*			
360	1100 x 2500	2050 x 1600 x 3000				3050 x 2650	7200*	4800*			
Stretcher	150	1100 x 2100			1400 x 2300 x 2500	2500 x 2700	5000	2400			
	180	1100 x 2100			1400 x 2300 x 2750	2600 x 2750	5700	3400			
	210	1100 x 2100			1400 x 2300 x 2750	2600 x 2750	6100	3600			
	240	1100 x 2100			1400 x 2300 x 2750	2600 x 2750	6775	3950			
	300	1100 x 2100			1400 x 2300 x 2750	2700 x 2850	6800*	4600*			
	360	1100 x 2500			1400 x 2300 x 3000	2700 x 2850	7200*	4800*			
	24	1635			Passenger	150	1100 x 2100	2250 x 1600 x 2500	3150 x 2550	5000	2400
						180	1100 x 2100	2250 x 1600 x 2750	3250 x 2550	5700	3400
210			1100 x 2100	2250 x 1600 x 2750		3250 x 2550	6100	3600			
240			1100 x 2100	2250 x 1600 x 2750		3250 x 2550	6775	3950			
300			1100 x 2100	2250 x 1600 x 2750		3350 x 2700	6800*	4600*			
360			1100 x 2500	2250 x 1600 x 3000		3350 x 2700	7200*	4800*			
Stretcher			150	1100 x 2100	1500 x 2400 x 2500	2550 x 2800	5000	2400			
			180	1100 x 2100	1500 x 2400 x 2750	2650 x 2850	5700	3400			
			210	1100 x 2100	1500 x 2400 x 2750	2650 x 2850	6100	3600			
			240	1100 x 2100	1500 x 2400 x 2750	2650 x 2850	6775	3950			
			300	1100 x 2100	1500 x 2400 x 2750	2750 x 2950	6800*	4600*			
			360	1100 x 2500	1500 x 2400 x 3000	2750 x 2950	7200*	4800*			



*Reduce Buffer Stroke

HOISTWAY - Motor Room Type

Passenger Lift



Stretcher Lift



TECHNICAL DATA:

Passenger/Stretcher Lift - Motor Roomless Type (Low-Rise)


Dimension

Capacity		Speed (mpm)	Type	Door Opening (*CO) (mm)	Cabin Size Internal (CA x CB x CH) (mm)	Hoistway W x D (mm)	Overhead (mm)	Pit Depth (mm)
No. of Persons	Weight (kg)							
6	450	60	Passenger	800 x 2100	1000 x 1150 x 2500	2150 x 1600	4600	1700
		90					4850	1800
		105					5100	1900
8	545	60	Passenger	800 x 2100	1100 x 1300 x 2500	2050 x 1750	4600	1700
		90					4850	1800
		105					5100	1900
9	615	60	Passenger	800 x 2100	1200 x 1300 x 2500	2100 x 1750	4600	1700
		90					4850	1800
		105					5100	1900
10	685	60	Passenger	800 x 2100	1300 x 1350 x 2500	2200 x 1850	4600	1700
		90					4850	1800
		105					5100	1900
11	750	60	Passenger	800 x 2100	1400 x 1350 x 2500	2300 x 1850	4800	1800
		90					5000	1900
		105					5200	2000
13	885	60	Passenger	900 x 2100	1500 x 1450 x 2500	2400 x 1950	4800	1800
		90					5000	1900
		105					5200	2000
		120					5400	2100
15	1025	60	Passenger	900 x 2100	1700 x 1450 x 2500	2600 x 1950	4800	1800
		90					5000	1900
		105					5200	2000
		120	5400	2100				
		60	Stretcher	900 x 2100	1200 x 2100 x 2500	2300 x 2500	4800	1800
		90					5000	1900
105	5200	2000						
17	1160	60	Passenger	1000 x 2100	1600 x 1700 x 2500	2800 x 2350	4550	1800
		90					4700	1900
		105					4850	2000
		120	4900	2000				
		60	Stretcher	1000 x 2100	1300 x 2100 x 2500	2500 x 2500	4550	1800
		90					4700	1900
105	4850	2000						
20	1365	60	Passenger	1000 x 2100	1800 x 1750 x 2500	2950 x 2350	4900	2000
		90					4550	1800
		105					4700	1900
		120	4850	2000				
		60	Stretcher	1000 x 2100	1400 x 2250 x 2500	2600 x 2700	5000	2100
		90					4550	1800
105	4700	1900						
21	1430	60	Passenger	1100 x 2100	1800 x 1800 x 2500	3000 x 2400	4850	2000
		90					4700	1900
		105					4850	2000
		120	5000	2100				
		60	Stretcher	1100 x 2100	1400 x 2300 x 2500	2650 x 2700	4550	1800
		90					4700	1900
105	4850	2000						
24	1635	60	Passenger	1100 x 2100	1900 x 1900 x 2500	3050 x 2500	5000	2100
		90					4550	1800
		105					4700	1900
		120	4850	2000				
		60	Stretcher	1100 x 2100	1500 x 2400 x 2500	2700 x 2800	4550	1800
		90					4700	1900
105	4850	2000						
27	1840	60	Passenger	1100 x 2100	2000 x 2000 x 2500	3300 x 2650	5000	2100
		90					6000	2000
		105					6100	2100
		120	6200	2200				
		60	Stretcher	1100 x 2100	1650 x 2400 x 2500	3000 x 2850	6000	2000
		90					6100	2100
105	6200	2200						
30	2040	60	Passenger	1100 x 2100	2150 x 2000 x 2500	3450 x 2650	6400	2350
		90					6000	2000
		105					6100	2100
		120	6200	2200				
		60	Stretcher	1100 x 2100	1650 x 2600 x 2500	3000 x 3050	6400	2350
		90					6000	2000
105	6100	2100						
		120					6200	2200
		120					6400	2350

* CO-Center Opening

HOISTWAY - Motor Roomless Type

Passenger Lift



Stretcher Lift

